INDEX TO VOLUME 17

[New names in **bold-face** type]

A

Abbott, William Louis, 312 (obit.)
Aethoglis, 292
hueti, 293
hueti argenteus, 293
hueti nagtglasii, 293
agouti, golden-rumped, 12
Ahrens, Theodore G., Recent developments in the preservation of the wisent in Germany, 137; Breeding back the extinct auerochs, 266
Alces americana, 404
americana americana, 214
Aldous, C. M., Food habits of Lepus americanus phaenotus, 175
Allan, Philip F., Microtus ochrogaster in Minnesota, 291
Allen, Glover M., The type specimen of Erinaceus albiventris Wagner, 62; The status of Vespertilio pilosus Peters, 168; A new genus and a new subspecies of African dormouse, 293
Alopex, 248
lagopus innuitus, 62
Ammospermophilus, 222
Ammotragus lervia, 13
ant-eater, three-toed, 166
two-toed, 165
antelope, Indian, 13
Antilope cervicapra, 13
Antrozous pallidus pallidus, 285
aoudad, 13
Aplodontia, 342
Apodemus, 37
Arlton, A. V., An ecological study of the mole, 349
armadillo, four-toed, 166
nine-banded, 293
Arnold, John R., The house mouse in Grand Canyon National Park, 392
Arvicola, 37, 116
Asinus burchellii, 92
Atelerix albiventris, 63
pruneri, 63
auerochs, 266–268 (breeding)
Axis axis, 13

B

baboon, chacma, 130
baby, bush, 129
Bailey, Vernon, A humane method of killing mammals, 283
Balaenoptera physalus, 61
Ball, Edward M., 84 (obit.)
Barbour, Thomas, Eumops in Florida, 414
bat, 268–273 (captive), 412–413
African leaf-nosed, 123
big brown, 30
brown, 130–131 (hibernation), 400
brown wrinkle-lipped, 124
cape horseshoe, 123
cape slit-faced, 123
desert pallid, 285
epauletted fruit, 123
fruit, 122
Georgian, 30
gray, 29
Indiana, 30
LeConte lump-nosed, 30
lesser epauletted fruit, 122
little brown, 210
long-legged, 400
Mexican free-tailed, 167
Natal sociable, 124
northern red, 30
Rafinesque, 30
small serotine, 123
yellow, 123
bear, American black, 31
black, 12, 210, 401
grizzly, 12, 401
Kamchatkan, 115–120 (habits)
beaver, 66, 212, 279–281, 402

European, 290
giant, 66
Behney, W. H., Nocturnal explorations of the forest deer-mouse, 225
Bensley, Benjamin Arthur, 312 (obit.)
Bergman, Sten, Observations on the Kamchatkan bear, 115
bison, American, 12
Bison bison, 12
bonasus, 266
Blarina, 64, 241, 412, 416
brevicauda brevicauda, 285
brevicauda carolinensis, 29
brevicauda talpoides, 209-291
Black, J. D., Mammals of northwestern Arkansas, 29
Blair, W. Frank, The Florida Marsh rabbit, 197; The nine-banded armadillo in northeastern Oklahoma, 293; An opossum dies of cold and hunger, 410
Blair, W. Frank, and John D. Kilby, The gopher mouse—Peromyscus floridanus 421
bobcat, 31, 210
Bailey, 170
Bonillas, Ygnacio, The Dentition of Lambdotherium, 139
Boreolepus groenlandicus, 330
Borophagus diversidens, 415
matthewi, 416
pachyodon, 416
solus, 416
Bos primigenius, 266-268 (breeding)
Boselaphas tragocamelus, 13
Bradypus griseus, 165
Branin, M. Lelyn, Napaeozapus on Mount Desert Island, 174
Breckenridge, W. J., Mammals collected in northern Manitoba, 61
Brown, C. Emerson, Rearing wild animals in captivity, and gestation periods, 10
Bubalus bubalus, 12
buck, bush, 128
buffalo, 49
Indian, 12
Burt, William Henry, A study of the baculum in the genera Perognathus and Dipodomys, 145; Notes on the habits of the Mohave ground squirrel, 221

C

Cabrera, Angel, Subspecific and individual variation in the Burchell zebras, 89
Cahn, Alvin R., Further notes on the giant beaver, 66; A weasel learns by experience, 286
Callospermophilus chrysodeirus chrysodeirus, 172
lateralis lateralis, 172
camel, Arabian, 13
Camelus dromedarius, 13
Canis latrans, 12
latrans incolatus, 401
lycaon, 12, 211, 401
nubilis, 31
Capaccinius ricketti, 168
Capromys, 174
caribou, 48, 215
woodland, 404
Carter, T. D., The short-tailed shrew as a tree climber, 285
Castor, 420
canadensis, 402
canadensis canadensis, 62
Castoroides, 420
ohioensis, 66-67
cat, Kaffir, 126
Caviella, 174
Cebus, 54
Cephalophus grimmi, 128
monticola, 129
Cercopithecus pygerythrus, 129
Cervus canadensis, 13
canadensis occidentalis, 253-256 (food)
elaphas, 13
Chaetodipus, 147
Chaffee, Robert G., A new heteromyid skull of the genus Cupidinimus, 419
chimpanzee, 12, 416
chipmunk, 287, 288, 289
eastern, 231-234 (habits)
gray-headed, 402
southwestern, 32
Chironectes panamensis, 165
Choeropsis liberiensis, 13
Choloepus hoffmanni, 165
Christian, John J., Mammals caught in post holes, 416
Chrysochloris hottentota, 122
Citellus, 37

beecheyi, 222
columbianus columbianus, 337
mohavensis, 221–224 (habits)
plesius ablusus, 61
plesius plesius, 402
tridecemlineatus, 407
Clark, Frank H., Geotropic behavior on a sloping plane of arboreal and non-arboreal mice of the genus Peromyscus, 44
Claviglis crassicaudatus, 292
Clethrionomys, 37, 241, 291
dawsoni dawsoni, 62, 403
gapperi gapperi, 62
gapperi ochraceus, 213
coati, 12
Coendou rothschildi, 165
Condrin, John M., Observations on the seasonal and reproductive activities of the eastern chipmunk, 231
Condylura, 169, 241
Connochaetes, 13
cony, 404
Corynorhinus macrotis, 30, 269
rafinesquii rafinesquii, 30
cottontail, Oklahoma, 34
cougar, 49
Cowan, Ian McTaggart, Nesting habits of the flying squirrel Glaucomys sabrinus, 58
Cowles, Raymond B., Notes on the mammalian fauna of Umzumbe Valley, Natal, South Africa, 121
Cox, W. T., Snowshoe rabbit migration, tick infestation, and weather cycles, 216
coyote, 12, 169
British Columbia, 401
Crandall, Lee S., A chipmunk kills a sparrow, 287
Cricetulus, 37
Crocidura cinnamomea, 122
Cryptotis, 241
parva, 29, 284
Cupidinimus magnus, 420
nebrascensis, 420
Cyclopes dorsalis, 165

D

Dama dama, 13
dassie, Natal, 128
Dasymys incomptus, 127
Dasyprocta aguti, 12
Dasypus novemcinctus fenestratus, 166
novemcinctus texanus, 293
dauw, Angola, 94
Congo, 94
Davis, David E., Status of Microtus enixus and Microtus terranovae, 290; (and see under Enders, R. K.)
deer, 49, 67–68
axis, 13
fallow, 13
hog, 13
Japanese sika, 13
red, 13
Virginia, 34
white-tailed, 13, 214
deer-mouse, Florida, 422
forest, 225–230 (explor.)
Dice, Lee R., Age variation in the deer-mouse Peromyscus maniculatus gracilis, 55
Dicrostonyx, 248
rubricatus richardsoni, 62
Didelphys marsupialis etensis, 164
virginiana virginiana, 29
Dipodomys, 145–156 (baculum), 342
agilis agilis, 146
agilis simulans, 153, 374–382 (neurol.)
deserti deserti, 155
heermanni berkeleyensis, 418
heermanni goldmani, 418
heermanni heermanni, 418
heermanni swarthi, 153
heermanni tularensis, 418
ingens, 153
leucogenys, 153
merriami melanurus, 155
merriami merriami, 152
merriami mitchelli, 155
merriami nitratoides, 380
microps, 155
mohavensis, 153
nitratoides brevinasus, 155
ordii cleomophila, 170
ordii ordii, 152
spectabilis perblandus, 155
Dipoides major, 279
sigmodus, 279
stirtoni, 279
williamsi, 279–281

Dolichotis centralis, 174
salinicola, 174
duiker, 128
blue bush, 129
Eadie, W. Robert, The pine mouse recorded in New Hampshire, 422
eland, Livingston, 13
elephant, Indian, 12
Elephas maximus, 12
elk, Olympic Peninsula, 253–256 (food)
Yellowstone, 250–253 (parasites)
Enders, Robert K., Mammalian life histories from Barro Colorado Island (review, H(owell)), 69
Enders, Robert K., and David E. Davis, Body temperatures of some Central American mammals, 165
Epomophorus crypturus, 122
wahlbergii, 123
Eptesicus fuscus, 39, 167
fuscus fuscus, 30, 130–131 (hibernation), 236, 268, 413
Equus annectans, 108
annectens, 100
burchelli antiquorum, 94
burchelli paucistriatus, 94
burchellii, 12, 91
burchellii crawshaii, 103
burchellii crawshayi, 105
burchellii granti, 103
burchellii mariae, 107
burchellii pococki, 96
burchelli selousii, 100
burchellii transvaalensis, 95
burchellii wahlbergi, 95
burchellii zambesiensis, 100
caballus, 91
campestris, 108
chapmani, 94
festivus, 108
foai, 100
hartmannae, 92
jallae, 107
kaokensis, 95
kaufmanni, 95
montanus, 93
muansae, 108
przewalskii, 91
quagga, 90
quagga böhmi, 90
quagga cunninghami, 90
quagga var. goldfinchi, 107
quagga granti, 90
tigrinus, 106
typicus, 108
zebra, 92
zebroides, 108
Erethizon dorsatum dorsatum, 213
epixanthum nigrescens, 403
Erinaceus adanson, 63
albiventris, 62–64 (tax.)
albiventris pruneri, 62
pruneri, 62
Errington, Paul L., Notes on food habits of southern Wisconsin house cats, 64; Sex ratio and size variation in South Dakota mink, 287; Food habits of a weasel family, 406
Euarctos americanus, 12, 401
americanus americanus, 31, 210
Eucastor lecontei, 280
planus, 280
tortus, 280
Eumetopias jubata, 61
Eumops glaucinus, 414
Eutamias, 37
amoenus canicaudus, 289
minimus borealis, 62
minimus caniceps, 402
quadrivittatus, 172
Evans, Charles, (See under Swanson, G.)
Eyerdam, Walter J., Mammal remains from an Aleut Stone Age village, 61

F

Felis caffra, 126
concolor, 12
leo, 12
onca, 12
pardus, 12, 126
tigris, 12
Fetisoff, A. S., Biology of the Siberian weasel, 36
fox, Arctic, 317
eastern gray, 31
eastern red, 31
red, 211, 401

G

Galago crassicaudatus garnettii, 129
Gates, William H., Keeping bats in captivity, 268
genet, 125
Genetta tigrina, 125

Geomys breviceps breviceps, 32
Georychus hottentotus, 127
Gersh, I., Animal micrology (Guyer, reviewed), 298
Glaucomys, 241
sabrinus, 58–60 (habits)
sabrinus alpinus, 59, 402
sabrinus fuliginosus, 59
sabrinus macrotis, 212
volans, 58
volans saturatus, 32
volans volans, 32
Gliriscus platyops, 292
Glis glis, 292
goat, mountain, 405
Goldman, E. A., A new otter from Kamchatka, 164
Goodale, Hubert D. (See under Keeler, C. E.)
Goodwin, George G., Big game animals in the northeastern states, 48
Goodwin, George Gilbert, The Mammals of Connecticut (review, H(owell)), 177
gopher, 402
pocket, 1–10 (dist.)
Louisiana pocket, 32
Gordon, Kenneth, Territorial behavior and social dominance among Sciuridae, 171
Gorilla beringei, 416
gnu, 13
Graphiurus hueti, 292
nagtglasii, 292
ocularis, 292
Grater, Russell K., An unusual beaver habitat, 66; Bailey bobcat contributes new mammal records, 170
Green, C. V., Observations on the New York weasel, with remarks on its winter dichromatism, 247
Green, Charles Velmar, 313 (obit.)
Green, Morris M., The black rat in Vermont, 173
greyhound, 54
Griffin, Donald R., Stomach contents of Atlantic harbor seals, 65; Bat banding, 235
Grinnell, Joseph, and John Eric Hill, Pocket gophers (Thomomys) of the Lower Colorado Valley, 1
Gulo luscus, 401
Guyer, Michael F., Animal micrology (review, Gersh), 298

H

Hamilton, W. J., Jr., Food habits of the mink in New York, 169; Mammals of Indiana (Lyon, reviewed), 177; Seasonal food of skunks in New York, 240
Hanson, Karl B., 192 (obit.)
Haplomylomys, 408
hare, Arctic, 315–337 (revis.)
Mackenzie varying, 405
red, 127
snowshoe, 214
varying, 216–221 (migration)
Hatfield, Donald M., A revision of the Pipistrellus hesperus group of bats, 257
Hatt, Robert T., Michigan records of the least weasel, 414
Hayne, Don W., Burrowing habits of Peromyscus polionotus, 420
Hemitragus jemlahicus, 13
Herpestes gracilis typicus, 125
Hibbard, Claude W., Established colonies of the Mexican free-tailed bat in Kansas, 167
Hill, John Eric, (see under Grinnell, J.)
hippopotamus, 13
pigmy, 13
Hippopotamus amphibius, 13
Hipposideros caffer, 123
Hippotigris antiquorum, 94
hog, northern wart, 13
Homo sapiens, 61
Hooper, Emmet T., The taxonomic status of Dipodomys heermanni berkeleyensis Grinnell, 418
horse, 283
H(owell), A. B., Ecology and life history of the porcupine (Erethizon epixanthum) as related to the forests of Arizona and the south-western United States (Taylor, reviewed), 69; A child's story of the animal world (Huey, reviewed), 69; Mammalian life histories from Barro Colorado Island (Enders, reviewed), 69; The Mammals of Connecticut (Goodwin, reviewed), 177.

Howell, Arthur H., A revision of the American arctic hares, 315
huanaco, 13
Huey, Edward G., A child's story of the animal world (review, H(owell)), 69
Huey, Laurence M., Some habits of a grey shrew in captivity, 143; Notes on the moles of Lower California, Mexico, 166; Desert pallid bats caught in mouse traps, 285
Hyaenognathus, 415
Hyelaphas porcinus, 13

I

ichneumon, 125

J

jaguar, 12
Johnson, Jerry, Coyote and bull snake, 169

K

kangaroo, 54
Keeler, Clyde E., and Hubert D. Goodale, A second occurrence of headdot spotting in the house mouse, 263
Kilby, John D. (See under Blair, W. F.)
King, Helen Dean, A waltzing mutation in the white rat, 157
Kolonocus sibiricus, 36–38 (biol.)

L

Lama glama, 13
  huanacus, 13
Lambdotherium, 139–142 (dent.)
  magnum, 141
  popoagicum, 140
  primaevum, 141
  priscum, 141
  progressum, 141
Lasionycterus noctivigans, 238, 413
Lasiurus borealis, 238, 412
  borealis borealis, 269
  cinereus, 236
  seminola, 269
Leggada minutoides, 127
lemming, 403
lemming-mouse, Dall, 403
Lemmus helvolus, 403
leopard, 12, 126
Lepus, 248
  americanus americanus, 62
  americanus macfarlani, 404
  americanus phaeonotus, 175–176 (food)
  arcticus, 318–337 (revis.)
  arcticus andersoni, 327
  arcticus arcticus, 318
  arcticus bangsii, 324
  arcticus canus, 322
  arcticus groenlandicus, 315
  arcticus labradorius, 322
  arcticus monstrabilis, 329
  arcticus persimilis, 315
  arcticus porsildi, 331
  californicus melanotis, 34
  glacialis, 318
  groenlandicus, 330
  othus, 332
  othus othus, 332
  othus poadromus, 334
  townsendii, 112–114
  tschuktschorum, 332
  variabilis var. glacialis, 330
  variabilis hyperboreus, 330
Leuconoë, 168
lion, 12
Lutra canadensis canadensis, 211
  capensis, 124
  lutra, 12
  lutra lutra, 164
  lutra meridionalis, 164
  stejnegeri, 164
  whiteleyi, 164
Lutreola vison mink, 169 (food)
lynx, Canada, 211, 402
Lynx canadensis, 402
  canadensis canadensis, 211
  rufus baileyi, 170 (food)
  rufus rufus, 211
Lyon, Marcus Ward, Mammals of Indiana (review, Hamilton), 177

M

Macaca irus, 12
  mulatta, 12
  nemestrina, 12
Macropus dorsalis, 374
Magne de la Croix, P., The evolution of locomotion in mammals, 51
Mail, G. Allen, and Harlow B. Mills, Heat radiation of domestic animals during severe cold weather, 282

marmot, 392–398
hoary, 402
Yukon, 402
Marmota, 416
caligata caligata, 402
flaviventer luteola, 393
flaviventer obscura, 397
flaviventer warreni, 393
flaviventris campioni, 392
flaviventris luteola, 392
flaviventris notioros, 392
flaviventris obscura, 392
flaviventris warreni, 392
monax canadensis, 212
monax monax, 32
monax ochracea, 402
Marshall, William H., A study of the winter activities of the mink, 382
marten, 401
Martes americana, 401
Mastomys coucha natalensis, 126
Megaptera versabilis, 61
Megadontomys, 408
Meles, 37
Mephitis mephitis, 12
mephitis mephitis, 211
mesomelas mesomelas, 31
nigra, 240
Metachirops opposum fuscogriseus, 165
Metachirus nudicaudatus dentaneus, 165
Microcavia, 174
Microtus, 37, 64, 169, 244, 373, 407
ochrogaster, 291
pennsylvanicus acadicus, 213
pennsylvanicus aphorodemus, 62
pennsylvanicus drummondi, 62
pennsylvanicus enixus, 290
pennsylvanicus fontigenus, 290
pennsylvanicus pennsylvanicus, 291
pennsylvanicus terranovae, 290
Miller, Alden H., An isolated colony of the gray-headed pika in Nevada, 174
Mills, Harlow B., Observations on Yellowstone elk, 250; (and see under Mail, G. A.)
Miniopterus natalensis, 124
mink, 31, 169 (food), 382–392 (habits)
British Columbia, 401
South Dakota, 287
Mohr, Carl O. (See under Mohr, W. P.)
Mohr, W. P., and Carl O. Mohr, Recent jack rabbit populations at Rapidan, Minnesota, 112
mole, 166–167, 349–371 (ecol.)
golden, 122
Missouri Valley, 29
mongoose, slender, 125
monkey, crab-eating, 12
pig-tailed, 12
rhesus, 12
vervet, 129
Moore, A. W., Improvements in live trapping, 372
moose, 49, 214, 404
European, 290
Moulthrop, Philip N., Myotis volans interior in South Dakota, 413
mouse, Attwater white-footed, 33
Dall lemming, 403
Dawson red-backed, 403
Drummond meadow, 403
dwarf, 127
golden harvest, 33
gopher, 421
grasshopper, 172 (breeding)
house, 34, 263–265 (genetics), 292
lemming, 213
long-tailed harvest, 274–278 (habits)
meadow, 213
meadow jumping, 213
northern white-footed, 33, 402
northern woodland jumping, 174
old-field, 420
Ozark white-footed, 33
pine, 422
red-backed, 213
Rocky Mountain meadow, 403
Stikine jumping, 403
striped, 127
southern golden, 33
southern white-footed, 33
woodland jumping, 213
woodland pine, 34
Mungos caffer, 125
Murie, Adolph, A predator eliminates a sick animal, 418
Mus, 64, 241
musculus, 34, 292, 351
muskrat, 12, 34, 169, 213
northwestern, 403
Mustela, 37
cicognani, 247
cicognani cicognani, 62, 64 (food), 210, 286
cicognanii richardsonii, 401
longicauda, 406

noveboracensis, 247–249 (habits)
primulina, 31
rixosa, 401
rixosa allegheniensis, 414
vison, 287
vison energumenos, 401
vison mink, 31, 382–392 (habits)
vison vison, 210
Myosorex caffer, 122
Myotis griscescens, 29
keenii septentrionalis, 39, 236, 412
lucifugus, 39
lucifugus lucifugus, 236, 269, 400, 412
myotis, 235, 237
pilosus, 168
sodalis, 30, 236, 269, 413
subulatus leibii, 236, 269
volans interior, 413
volans longicrus, 400

N

Napaeozapus, 241
insignis insignis, 66, 174, 213
Nasua nasua, 12
Neotoma cinerea saxamans, 403
floridana attwateri, 33
pennsylvanica, 22–26 (young)
Nichols, D. G., Note on the habits of Blarina, 412
nilgni, 13
Noctilio, 168
Notiosorex crawfordi crawfordi, 143–145 (habits)
Nyctalus noctula, 236
Nycteris borealis borealis, 30
capensis, 123
Nycticeius humeralis, 30
Nyctinomus aegypticus, 124
mexicana, 167

O

Ochotona, 37, 116, 342
collaris, 404
princeps cinnamomea, 175
princeps fuscipes, 175
princeps schisticeps, 175
princeps taylori, 175
Odocoileus virginianus, 13
virginianus borealis, 67, 214
Ondatra zibethica, 12
zibethica alba, 62
zibethica spatulata, 403
zibethica zibethica, 34, 213
Onychogale frenata, 374
Onychomys leucogaster fuscogriseus, 172
leucogaster melanophrys, 173
opossum, 53, 410
Allen, 165
Brown, 165
Eten, 165
Virginia, 29
water, 165
wooly, 165
orang utan, 12
Oreamnos americanus, 405
Ornithorhynchus, 380
otter, 211
cape, 124
European, 12
Kamchatka, 164
Osborn, Henry Fairfield, 84 (obit.)
Osborn, F. L., Melanistic pipistrelles, 64; Earthworms as a supplementary food of weasels, 64; Pine mice in Vermont, 291
Ovis canadensis, 13
fannini, 405
vignei, 13

P

Pachyotis nigrita dingani, 123
Pan satyrus, 12
Papio, 52
porcarius, 130
Paradolichotis, 174
Parascalops breweri, 291
Parker, Harry C., Napaeozapus in Harvard Forest, 66
Pediolagus, 174
Perognathoides tertius, 420
Perognathus, 145–156 (baculum)
amplus taylori, 147
arenarius albulus, 152
arenarius arenarius, 151
arenarius sublucidus, 152
artus, 151
baileyi baileyi, 146
baileyi extimus, 152
baileyi fornicatus, 152
californicus bernardinus, 152
californicus dispar, 152
formosus formosus, 146
flavescens, 147
flavus flavus, 147
flavus fuliginosus, 170
hispidus, 146

inornatus neglectus, 152
intermedius intermedius, 152
longimembris pacificus, 152
longimembris panamintinus, 152
penicillatus angustirostris, 152
penicillatus minimus, 152
penicillatus pricei, 152
penicillatus seri, 152
pernix rostratus, 152
spinatus bryanti, 152
spinatus evermanni, 152
spinatus guardiae, 152
spinatus lambi, 152
spinatus macosensis, 152
spinatus pullus, 152
spinatus spinatus, 152
Peromyscus, 64, 162, 241, 278, 407, 416
antiquus, 408
boylii attwateri, 33
boylii rowleyi, 44
californicus californicus, 408
californicus insignis, 408
californicus parasiticus, 45
eremicus, 409
floridanus, 421
leucopus leucopus, 33
leucopus novemboracensis, 213, 225–230 (explor.)
maniculatus abietorum, 213
maniculatus artemisiae, 44, 55, 132
maniculatus bairdii, 44, 132
maniculatus borealis, 62, 402
maniculatus gambeli, 248
maniculatus gracilis, 55–57 (variation)
maniculatus nebrascensis, 44
maniculatus oreas, 132–137 (devel.)
maniculatus osgoodi, 44
maniculatus ozarkiarum, 33
maniculatus rufinus, 55
maniculatus streatori, 409
nesodytes, 408
nuttalli aureolus, 33
(Peromyscus) maniculatus, 409
polionotus, 248, 420
Peterson, C. Bernard, Cryptotis parva in western New York, 284
Petrogale penicillata, 374
Phacochoerus africanus, 13
Pheaeomys, 174
Phenacomys mackenzii, 403
Philander ?, 165
Phocaena phocoena, 61
Phoca richardi pribilofensis, 61
vitulina concolor, 65–66 (food)
pika, gray-headed, 174–175
Pipistrellus hesperus, 257–262 (tax.)
hesperus australis, 260
hesperus hesperus, 257
hesperus maximus, 261
hesperus merriami, 258
hesperus santarosae, 261
subflavus, 39, 236, 269
subflavus subflavus, 30, 64, 413
Pitymys nemoralis, 34
pinetorum scalopsoides, 291, 422
Pizonyx, 168
Poecilogale albinucha, 124
Poephagus grunniens, 12
Pongo pygmaeus, 12
Poole, Arthur J., The number of forms of recent mammals, 282
Poole, Earl L., Notes on the young of the Allegheny wood rat, 22; Relative wing ratios of bats and birds, 412
porcupine, 213, 403
Rothschild, 165
porpoise, harbor, 61
Preble, Norman A., Notes on New Hampshire chipmunks, 288
Procavia capensis natalensis, 128
Procyon lotor, 12
lotor hirtus, 31
Pronolagus ruddi, 127
puma, 12

R

rabbit, 15–21 (teeth), 54, 169
Florida marsh, 197–207 (habits)
great plains jack, 34
jack, 112–114 (population)
snowshoe, 216–221 (migration)
swamp, 34
raccoon, 12
Missouri Valley, 31
Rafn, A. Morris (see under Schultz, L. P.)
Rangifer caribou, 404
caribou caribou, 215
rat, African, 126
Allegheny wood, 22–26 (young)
Attwater pack, 33
black, 173
cane, 127
kangaroo, 374–382 (neurol.)

mole, 127
multimammate, 126
northern cotton, 33
Norway, 34
Peters water, 127
roof, 126
white, 157–163 (mutation)
Rattus, 37, 64, 241
alexandrinus, 157
chrysophilus tsaneensis, 126
norvegicus, 34, 157
rattus, 157
rattus alexandrinus, 126
rattus rattus, 173
tectorum, 157
Raven, H. C., Genital swelling in a female gorilla, 416
Reithrodontomys fulvescens aurantius, 33
megalotis longicaudus, 274–278 (habits)
megalotis megalotis, 170
Rhabdomys pumilio chakae, 127
Rhinolophus capensis, 123
Rickettia pilosa, 168
Risting, Sigurd, 84 (obit.)
Rousettus collaris, 122

S

Salvesen, Sigvald, A fight between a beaver and a bull moose, 290
Scalopus aquaticus machrinoides, 29, 362
aquaticus machrinus, 357
Scapanus anthonyi, 166
latimanus occultus, 166
Schantz, Viola S., An unusual specimen of red wolf, 415
Schmidt, Franklin James White, 85 (obit.)
Schmidt, Karl P., Dehairing of caterpillars by skunks, 287
Schoonmaker, W. J., Size and weight of Adirondack deer, 67
Schultz, Leonard P., and A. Morris Rafn, Stomach contents of fur seals taken off the coast of Washington, 13
Sciurus, 37
apache, 416
carolinensis carolinensis, 32
douglasii, 171
douglasii albolimbatus, 171, 341
douglasii cascadensis, 346
fremonti fremonti, 171 (habits)
griseus nigripes, 418
hudsonicus, 244
hudsonicus hudsonicus, 62, 339, 402
hudsonicus streatori, 347
niger rufiventer, 32
seal, Atlantic harbor, 65
fur, 13–15 (food)
northwest harbor, 61
sea-lion, 54
California, 12
Steller, 61
Self, J. Teague (see under Stovall, J. W.)
Shadle, Albert P., The attrition and extrusive growth of the four major incisor teeth of domestic rabbits, 15
Shaw, William T., Moisture and its relation to the cone-storing habit of the western pine squirrel, 337
sheep, 283
mountain, 405
Rocky Mountain, 13
Sheldon, Carolyn, The mammals of Lake Kedgemakooge and vicinity, Nova Scotia, 207
shrew, Carolina short-tailed, 29
dusky, 400
gray, 143–145 (habits)
little short-tailed, 29
masked, 209, 400
short-tailed, 209, 285, 412
water, 209, 400
Sigmodon hispidus hispidus, 33
Sika nippon, 13
Skinner, Milton P., Browsing of the Olympic Peninsula elk in early winter, 253
skunk, 12, 211, 240–243 (food), 287
Louisiana, 31
prairie spotted, 31
sloth, Hoffman two-toed, 165
three-toed, 165
Smith, Clarence F., Notes on the habits of the long-tailed harvest mouse, 274
Sorex, 37
cinereus cinereus, 62, 209, 400
obscurus obscurus, 400
palustris gloveralleni, 209
palustris navigator, 400
Spilogale interrupta, 31
squirrel, Bennett ground, 402
flying, 58–60, 212, 402
fox, 417
Mohave ground, 221–224 (habits)

northern red, 402
pine, 171 (habits)
red, 212
small eastern flying, 32
southeastern flying, 32
southern gray, 32
western fox, 32
western pine, 337–349 (habits)
Stenocranius, 37
Stirton, R. A., A new beaver from the Pliocene of Arizona with notes on the species of Dipoides, 279
Stovall, J. Willis, and W. S. Strain, A hitherto undescribed coprolite from the White River Badlands of South Dakota, 27
Stovall, J. Willis, and J. Teague Self, A new specimen of Symbos from Chickasha, Oklahoma, 422
Strain, W. S. (See under Stovall, J. W.)
Straus, William L., Jr., Electrical excitation of the cerebrum of the kangaroo rat, 374
Svihla, Arthur, Development and growth of Peromyscus maniculatus oreas, 132; Notes on the hibernation of a western chipmunk, 289
Svihla, Ruth Dowell, Breeding and young of the grasshopper mouse (Onychomys leucogaster fuscogriseus), 172
Swanson, Gustav, and Charles Evans, The hibernation of certain bats in southern Minnesota, 39
Swarth, Harry Schelwald, 85 (obit.)
Swarth, Harry S., Mammals of the Atlin region, northwestern British Columbia, 398
Sylvilagus, 64, 244, 407, 416
aquaticus aquaticus, 34
auduboni arizonae, 171
foridanus alacer, 34
palustris paludicola, 197–207 (habits)
Symbos cavifrons, 422
promptus, 422
Synaptomys borealis, 62
borealis dalli, 403
cooperi cooperi, 213

T

Tadarida cynocephala, 269
mexicana, 167
Talpa, 37
europaea, 349
Tamandua tetradactyla chiriquensis, 166
Tamias, 241
striatus fisheri, 231, 287
striatus lysteri, 212, 231–234 (habits), 288
striatus venustus, 32
tapir, Brazilian, 12
Malayan, 12
Tapirus indicus, 12
terrestris, 12
Tate, G. H. H., Nomenclature of South American hystricoid rodents, 174
Taurotragus oryx livingstonii, 13
Taylor, Walter P., Ecology and life history of the porcupine (Erethizon epixanthum) as related to the forests of Arizona and the south-western United States (review, Howell), 69
thar, Himalayan, 13
Thomomys, 1–10 (dist.)
bulbivorus, 273
chrysonotus, 6
fulvus flavidus, 6
harquahalae, 7
perpallidus albatus, 3
perpallidus centralis, 5
perpallidus depauperatus, 4
perpallidus lucidus, 3
perpallidus phasma, 4
perpallidus riparius, 4
subolcs, 7
townsendi, 273
Thryonomys swinderianus, 127
tiger, 12
Toll, Roger Wolcott, 191 (obit.)
Tragelaphus sylvaticus, 128

U

uriel, 13
Urocyon cineroargenteus cineroargenteus, 31
Ursus, 401
crassodon, 401
horribilis, 12
piscator, 115–120 (habits)
tahltanicus, 401

V

VanderHoof, V. L., Notes on the type of Barophagus diversidens Cope, 415
van Rossem, A. J., The type locality of Sciurus apache Allen, 416

Vespertilio (Leuconoë) pilosus, 168
(Leuconoë) ricketti, 168
minutus, 123
pilosus, 168
Viverra aterrima, 164
Vulpes, 401
fulva, 31
fulva rubricosa, 211

W

wapiti, 13, 49
Warren, Edward R., The marmots of Colorado, 392
weasel, 210
Bonaparte, 286
least, 401, 414
New York, 247-249 (habits)
Siberian, 36-38 (biol.)
snake, 124
Wetmore, Alexander, Hibernation of the brown bat, 130
whale, finback, 61
Pacific humpback, 61
whistler, 402
Wilder, Harry Edward, 313 (obit.)
Wilson, Robert W., A new Pleistocene deer-mouse from Santa Rosa Island, California, 408
wisent, 137-138 (status)
wolf, 50, 211
American gray, 12
Arctic, 317
timber, 31, 401
red, 415
Wood, Albert Elmer, An additional record of the giant beaver, 420
woodchuck, 212
southern, 32
wolverene, 401
Wright, George Melendez, 191 (obit.)

Y

yak, 12
Yeager, Lee E., Winter daytime dens of opossums, 410; Fox squirrel seriously damages elm tree, 417

Z

Zalophus californianus, 12
Zapus, 244
hudsonius hudsonius, 213, 416
princeps saltator, 401
zebra, Burchell, 12, 89-112 (variation)